, 18. - 19.1.2019

" "

	,		200	04 - 2005								
1.	100	1:09.80	530	50	31.87	05 522	200	2:36.19	474	-	1526	3
2.	50	, 29.70	553	100	1:10.47	04 515	200	2:52.70	351	-	1419	3
3.	50	, 30.92	490	100	1:09.46	04 485	200	2:42.36	422	-	1397	3
4.	100	, 1:03.86	487	50	29.51	05 469	200	2:44.92	403	-	1359	3
5.		,				05					1248	3
6.	50	33.94	432	100	1:13.16	425 05	200	2:46.55	391	-	1210	3
7.	50	33.34	456	100	1:13.33	422 04	200	2:55.92	332		1196	3
8.	50	32.17	435	100	1:14.78	398 05	200	2:50.76	363		1184	3
	100	1:07.08	420	50	38.92	398	200	2:50.26	366			
9.	50	31.31	392	100	1:08.81	05 389	200	2:48.50	378		1159	3
10.	100	1:09.62	376	50	32.01	04 367	200	31 3:00.35	308		1051	3
11.	50	, 32.40	354	100	1:11.68	05 344	200	3:13.89	248		946	3
12.	50	38.91	287	100	1:26.13	04 260	200	3:23.93	213	-	760	3
13.	50	, 35.16	277	100	1:29.26	04 ²³⁴	200	3:25.93	207		718	3
14.	50	, 36.68	244	100	1:45.66	05 205	100	1:36.05	203	-	652	3
	,		200	06 - 2007								
1.	100	, 1:08.62	504	50	30.65	06 503	200	" 2:40.12	440	-	1447	3
2.	200	, 2:40.38	438	100	1:06.61	06 429	50	II.	409	-	1276	3
3.		,				07	II .	30.89		-	1198	3
4.	100	1:15.88	413	50	34.92	397	200	2:47.02	388		1054	3
5.	100	1:10.12	368	50	32.72	344 06	200	2:54.24	342	-	1023	3
6.	50	31.90	371	200	2:54.73	339	100	1:20.98	313	_	1015	3
	100	1:11.58	345	50	32.72	344	200	2:56.90	326			
7.	50	, 40.10	364	100	1:28.66	07 347	200	3:02.02	300	-	1011	3

" " - -

, 18. - 19.1.2019

8.	50	, 31.50	385	100	1:12.85	06 328	200	3:06.48	279		992	3
9.	50	32.42	353	100	1:11.92	07 341	200	31 3:07.16	276		970	3
10.	50	42.33	309	100	1:33.03	06 301	200	" 3:04.18	289	-	899	3
11.	100	, 1:14.69	304	100	1:34.88	07 283	200	3:08.43	270		857	3
12.	50	, 34.30	298	100	1:38.12	06 256	200	31 3:17.98	233		787	3
13.	50	, 36.35	301	200	3:11.46	07 257	100	1:31.12	215		773	3
14.	100	1:35.63	, 277	50	44.62	07 264	200	3:18.68	230	-	771	3
15.	50	, 35.47	270	100	1:18.00	0 7 267	200	3:17.92	233		770	3
16.	100	, 1:17.85	268	50	35.84	06 261	200	3:25.46	208	-	737	3
17.	50	, 37.44	276	100	1:19.65	06 251	200	3:32.78	187		714	3
18.	100	, 1:27.58	248	50	41.30	06 240	200	3:25.03	209	-	697	3
19.	50	, 36.15	255	100	1:24.50	07 210	200	31 3:25.21	209		674	3
20.21.	50	, 35.41	271	100	1:23.01	07 ²²¹	50	48.88	124	-	616 598	3
22.	50	, 37.34	231	100	1:24.57	209	200	3:45.40	158		593	3
23.	50	34.15	302	100	1:15.81	291 06	200	п	-	_	513	3
24.	100	1:51.27	176	50	51.53	171	200	3:41.39	166	-	498	3
25.	100	1:49.36	185	50	46.42	169 07	200	3:52.07	144	-	426	3
26.	100	1:55.96	155	50	55.12	140 07	200	3:59.64	131		299	2
27.	100	1:44.73	157	50	49.12	142 07					257	2
28.	100	1:35.86	144	50	53.05	113 07					238	2
29.	100	1:21.08	238	100	4.00.47	07					121	2
	100	2:17.44	64	50	1:03.17	57						

Splash Meet Manager, 11.56278

, 18. - 19.1.2019

	,		200	8 - 2009 - 9	of 10 E	vents						
1.	100	, 1:19.79	355	100	1:17.97	09 351	50	31 32.66	346		1052	3
2.	100	1:16.44	, 284	100	1:28.10	08 263	" 50	", . 40.78	249		796	3
3.	50	, 35.07	279	100	1:17.42	08 273	100	1:31.87	232	-	784	3
4.	100	, 1:25.41	267	100	1:28.24	08 262	50	40.50	254		783	3
5.		,				09 254	"	"		-	774	3
6.	100	1:27.68	267	50	38.47	09	100	1:26.96	253	-	676	3
7.	100	1:21.86	231	100	1:32.00	231	50 "	47.86	214	-	675	3
8.	100	1:36.93	266	50	44.99	257 09	100	1:45.80	152	_	639	3
9.	50	39.19	240	100	1:32.01	209 08	100	1:38.28	190	-	625	3
	100	, 1:42.36	226	100	1:34.84	211	50	44.75	188			
10.	100	, 1:34.71	212	50	43.54	08 204	100	1:49.71	183		599	3
11.	50	, 41.90	163	100	1:33.68	09 154	100	31 1:45.93	151		468	3
12.	50	, 42.57	156	100	1:48.53	09 141	100	1:38.41	133		430	3
13.	50	44.01	, 141	50	56.43	09 94	100	2:04.17	94	-	329	3
14.	50	, 44.34	138	100	1:50.36	09 94	100	31 2:13.53	75		307	3
15.	50	, 44.60	135	100	1:52.66	09 126	100	II	-	-	261	3
16.	50	, 52.66	82	100	1:56.75	09 79	" 100	" 2:19.75	66	-	227	3
17.	100	, 1:27.59	188	100	1:59.24	09	"	ıı		-	294	2
	, 201			of 10 Even		100						
1.		,		100		11	"	II 56.70	400	-	421	3
2.	50	42.06	162		1:51.14	131	50	56.70	128		291	3
3.	50	51.73	122	50	51.08	90 10	100	2:11.40	79		284	3
4.	50	48.22	150	50	44.73	134 10	100	"	-	-	254	3
5.	50	47.80	110	50	1:00.47	76 10	100	2:18.32	68		240	3
ວ.	50	57.64	88	50	1:05.51	83	100	2:17.75	69		24 U	3

3

6.	50	, 46.84	117	50	1:00.32	10 107	100		-		224	3
7.	50	58.11	, 86	50	57.76	10 62	" 100	2:29.56	53	-	201	3
8.	50	, 59.87	78	50	56.53	11 66	II	II		-	144	2
9.	50	1:04.47	63	50	1:19.68	10 46	"	"		-	109	2
					_							
					"	" -						
	,		20	004 - 2005 -	- 9 of 10	Events						
1.	50	, 24.58	559	100	54.65	04 556	200	2:28.86	399	-	1514	3
2.	100	, 1:02.76	514	50	27.88	04 506	200	2:21.52	464		1484	3
3.	200	, 2:27.28	412	100	1:06.96	04 389	50	31.31	357		1158	3
4.						05	"	"		_	1157	3
٠.	100	1:00.18	416	50	27.18	414	200	2:39.07	327		1101	O
5.	100	, 1:00.75	404	50	35.42	04 362	200	2:34.54	356	-	1122	3
6.		,				04		31			1094	3
_	50	27.32	407	100	1:02.57	370	200	2:40.77	317		4000	
7.	100	59.98	420	200	2:32.75	05 369	50	33.27	297	-	1086	3
8.	100	,	250	50	20.62	04	300	II	240	-	1060	3
0	100	1:03.25	358	50	28.63	354 04	200	2:35.79	348		1057	2
9.	100	1:01.74	385	50	28.00	378	200	2:44.85	294	-	1057	3
10.	100	, 1:01.90	382	50	28.12	04 374	200	" 2:44.31	297	-	1053	3
11.	100	1.01.00	502	30	20.12	05	200	2.44.01	251		1045	3
11.	100	1:01.85	383	50	28.03	377	200	2:46.46	285		1043	3
12.	EO	,	265	100	1.02.20	05	300	" 2:40 F2	240	-	1042	3
10	50	28.33	365	100	1:03.20	359 04	200	2:40.52	318		963	3
13.	200	2:38.02	333	100	1:05.79	318	50	29.84	312		903	3
14.	FO	,	220	100	1.04.66	04	200	0.57.70	004		907	3
15	50	29.08	338	100	1:04.66	335	200	2:57.70	234		901	2
15.	50	37.20	312	100	1:14.11	05 312	200	2:48.14	277		901	3
16.	5 0	,	00.		4.0= :=	05	225	31	c=-		875	3
4 -	50	30.11	304	100	1:07.15	299	200	2:49.15	272			_
17.	100	, 1:06.59	307	50	33.91	04 281	200	2:54.09	249	-	837	3

" _ _

18.	100	, 1:24.11	289	200	2:47.85	05 278	50	39.20	267		834	3
19.	100	, 1:24.08	289	50	38.44	05 283	200	31 2:57.75	234		806	3
20.	50	38.75	, 276	100	1:25.45	05 275	100	1:22.86	223	-	774	3
21.	200	, 2:45.22	292	100	1:17.76	05 248	50	36.27	229		769	3
22.	200	, 2:50.63	265	100	1:19.56	05 252	50	34.77	246		763	3
23.	50	, 31.33	270	100	1:30.08	04 235	200	2:59.73	226		731	3
24.	50	39.55	260	100	1:27.46	05 257	100	1:26.11	199	-	716	3
25.	100	, 1:11.44	248	200	2:56.95	05 237	100	1:24.00	197		682	3
26.	50	33.16	228	200	3:05.87	04 205	100	1:16.40	203	-	636	3
27. 28.	50	, 44.84	178	100	1:39.82	04 172 04	200	3:35.29	132	-	482 794	3 2
29.	100	, 59.91	422	100	1:09.93	372 04	"	ıı			736	2
30.	100	1:02.56	370	50	28.30	366 05				-	488	2
31.	100	1:18.79	260	50	41.29	228 04					478	2
32.	100	1:09.92	265	100	1:24.11	213	"	"		_	442	2
33.	50	32.45	243	100	1:16.88	199 05	"	"		-	412	2
34.	50	36.88	218	200	3:09.34	194 05					307	2
35.	50	35.46	186	100	1:38.66	05					292	2
36.	100 50	1:21.67 , 54.59	166 98	50 50	50.35 50.08	126 05 87					185	2
37.	50	, , 38.27	148	30	50.06	05	"	n		-	148	1

	,		2	006 - 2007								
1.	100	, 1:00.04	419	200	2:28.52	06 402	50	27.96	380	-	1201	3
2.	200	, 2:30.64	385	100	1:10.94	06 356	50	31.34	336		1077	3
3.	100	, 1:04.12	344	50	29.41	06 326	200	" 2:41.49	312	-	982	3
4.	100	, 1:11.61	318	200	2:41.52	07 312	50	33.89	281	-	911	3
5.		,				06	"	", .			903	3
6.	100	1:06.64	306	200	2:43.58	301 06	50	30.37	296		844	3
7.	100	1:08.12	287	50	30.89	282 06	200	2:48.53	275		810	3
8.	100	1:07.97	289	50	30.95	280 06	200	2:56.05	241		785	3
	100	, 1:07.68	292	50	33.96	264	200	2:58.98	229			
9.	100	1:19.06	, 257	50	39.97	06 252	200	2:55.04	245		754	3
10.	100	1:09.46	270	50	31.53	06 265	200	3:05.16	207	-	742	3
11.	50	, 31.64	262	100	1:11.89	06 244	200	3:04.64	209		715	3
12.	50	, 32.46	243	100	1:11.96	07 243	200	3:04.89	208	-	694	3
13.	200	, 2:53.62	251	100	1:21.13	06 238	50	37.70	204		693	3
14.	50	, 33.10	229	200	3:01.11	06 221	100	31 1:14.64	218		668	3
15.	200	, 2:57.71	234	50	36.03	06 221	100	1:21.67			659	3
16.		,				06	"	ıı	204	-	638	3
17.	100	1:12.94	233	50	42.91	203 06	200	3:06.66	202	-	632	3
18.	50	31.81	258	100	1:25.32	188 06	200	3:11.84	186	_	622	3
19.	50	, 33.76	216	100	1:15.04	214 06	200	3:09.86	192		611	3
	50	33.59	219	200	3:07.21	200	100	1:17.89	192	-		
20.	100	, 1:15.31	212	200	3:07.32	06 200	50	", . 34.82	196		608	3
21.	50	, 33.62	218	100	1:23.25	06 192	200	3:10.51	190		600	3
22.	200	, 3:01.66	219	50	35.00	07 193	100	1:18.83	185		597	3
23.	100	, 1:33.84	208	50	43.09	06 201	5 0	" 35.56	184	-	593	3

-

24.	F0	,	600	400	4.47.01	07	222	0.40.40		572	3
25.	50	34.18	208	100	1:17.04	198 07	200	3:19.19	166	524	3
26.	50	33.96	212	100	1:20.41	174	200	3:31.75	138	506	3
	50	35.70	182	100	1:19.92	177	200	3:27.63	147		
27.	50	, 38.89	176	100	1:22.14	0 7 163	200	3:26.81	148	487	3
28.	50	, 34.39	204	100	1:22.39	06 162	200	3:43.09	118	484	3
29.	100	, 1:41.23	165	50	36.88	07 165	200	3:31.00	140	470	3
30.	50	,	400	200	2.00.05	07	"	II	-	461	3
31.	50	37.05	163	200	3:22.35	159 06	100	1:34.39	139	435	3
32.	100	1:18.66	186	200	3:31.50	139 07	50	46.37	110	426	3
	50	, 36.57	170	50	42.47	135	100	1:41.42	121		
33.	50	, 37.40	158	100	1:47.81	06 137	200	3:36.50	129	424	3
34.	100	, 1:44.01	152	50	47.98	06 145	200	3:42.39	- 119	416	3
35.	50	, 37.14	162	100	1:26.21	07 141	" 100	1:44.60	- 111	414	3
36.		,				07				388	3
37.	100	1:46.01	144	50	49.60	131	200	3:46.54	113	355	3
	50	38.62	179	200	3:15.32	176	100		-	254	
38.	50	, 34.85	196	100	1:22.99	06 158	200		-	354	3
39.	50	, 41.05	120	100	1:31.60	07 118	200	31 3:55.76	100	338	3
40.	100	, 1:24.68	209	50	42.84	06 204				413	2
41.	100	,	207	100	4.20.42	06	II.	"	-	380	2
42.	100	1:15.93	207	100	1:30.13	173 07	ıı	"	-	342	2
43.	50	33.90	213	50	43.09	129 07	"	", .		310	2
	200	3:20.47	163	50	38.32	147	"	, .			
44.	100	1:30.70	156	200	3:33.51	06 135			-	291	2
45.	100	, 1:46.80	141	50	42.95	07 138	"	II	-	279	2
46.	100	, 1:33.61	142	200	3:39.38	0 7				266	2
47.	50	, 39.48	135	200	3:40.46	07 122	II	п	-	257	2
	"	00.40	100	200	J.7J.7U	124					25

" <u>-</u>

48.	100	1:35.45	, 146	100	1:44.18	06 98					244	2
49.	100	, 1:30.52	122	100	1:48.04	07					222	2
50.	100	, 1:34.71	106	50	43.00	07	п	ıı		-	210	2
51.	100	, 1:34.86	106	50	47.92	07 99					205	2
52.	50	, 56.10	62	100	1:57.91	06 55					117	2
53.	50	, 40.48	125			07	"	ıı		-	125	1
	,		20	008 - 2009 -	· 9 of 10	Events						
1.	100	, 1:14.39	284	50	34.38	08 269	100	1:20.08	247	-	800	3
2.	50	32.56	, 240	100	1:14.34	08 220	100	1:30.84	169	-	629	3
3.	50	, 34.13	209	100	1:16.94	08 199	100	1:29.01	180	-	588	3
4.	50	, 33.64	218	100	1:14.77	08 217	100	1:44.20	152		587	3
5.	, 50	33.44	222	100	1:27.10	08 192	100	1:27.44	166		580	3
6.	50	, 33.98	211	100	1:16.95	08 199	100	1:31.76	164	-	574	3
7.	100	, 1:34.38	204	50	45.05	09 176	100	1:30.18	173	-	553	3
8.	100	, 1:19.03	183	50	35.73	08 182	100	1:30.19	173		538	3
9.	100	, 1:38.76	178	100	1:29.38	08 178	50	36.64	169	-	525	3
10.	100	, 1:26.51	180	100	1:31.64	09 165	50	41.04	2 7 158		503	3
11.	100	, 1:22.30	162	100	1:32.16	08 162	50	37.48	157		481	3
12.	50	, 36.21	175	100	1:21.19	08 169	100	1:38.14	134	-	478	3
13.	50	, 36.56	170	100	1:33.87	09 153	100	1:25.28	146	-	469	3
14.	50	, 40.84	161	100	1:33.15	08 157	100	1:25.90	143		461	3
15.	100	, 1:31.52	166	100	1:32.35	08 148	50	42.73	140		454	3
16.	50	, 36.44	171	100	1:26.48	09 140	100	31 1:41.20	122		433	3
17.	50	, 37.92	152	100	1:36.43	09 141	100	", . 1:37.74	125		418	3

" " - -

18.	100	, 1:31.76	151	50	43.62	08 132	100	31 1:39.19	130		413	3
19.	100	, 1:47.23	139	100	1:37.96	09 135	50	50.45	125		399	3
20.	100	, 1:45.15	147	100	1:38.48	09 133	" 50	" 47.14	104	-	384	3
21.	100	, 1:48.41	134	50	49.74	08 130	100	1:43.12	116		380	3
22.	50	, 44.04	128	100	1:40.02	09 127	100	1:31.10	120		375	3
23.	, 50	40.04	129	100	1:40.95	09 123	100	1:32.58	114		366	3
24.	100	, 1:38.56	122	100	1:44.25	08 112	50	46.51	109		343	3
25.	100	, 1:43.40	115	100	1:57.53	09 105	50	44.08	97	-	317	3
26.	100	, 1:52.97	119	100	1:47.61	08 102	50	55.38	94	-	315	3
27.	50	, 41.01	120	100	1:35.32	08 104	100	1:53.56	86	-	310	3
28.	100	1:32.45	, 114	100	1:46.67	08 104	50	49.56	85		303	3
29.	100	, 1:44.70	110	50	54.33	09 100	100	1:47.96	92		302	3
30.	100	, 1:59.33	101	100	1:48.38	08 99	5 0	55.22	95	-	295	3
31.	100	, 1:57.28	106	50	55.49	08 94	100	1:55.51	82	-	282	3
32.	50	, 46.75	107	50	44.85	08 92	100	1:59.68	74	-	273	3
33.	100	, 1:43.36	82	50	46.87	08 80	50	51.60	79	-	241	3
	50	49.53	90	100	1:55.11	08 83	50	49.43	68	-	241	3
35.	50	, 41.22	118	100	1:31.85	08 117	100	II	-	-	235	3
36.	50	, 46.50	109	100	1:46.11	08 97	100	"	-	-	206	3
37.	50	, 53.95	102	100	2:00.65	08 97	100	"	-	-	199	3
38.	50	, 59.35	77	50	49.87	08 67	100	2:14.80	51	-	195	3
	50	, 59.35	77	50	50.21	09 65	100	2:13.22	53	-	195	3
40.	100	, 2:02.42	69	50	54.65	09 67	100	2:08.68	54	-	190	3
41.	100	, 1:27.63	189	50	44.14	08 187					376	2
/ "	"											25

42.	50	, 34.06	210	100	1:30.56	08 157					367	2
43.	50	, 41.62	152	100	1:30.53	08 122	п	", .			274	2
44.	50	, 37.45	158	50	46.26	09 104					262	2
45.	100	, 1:51.83	122	50	52.05	09 114					236	2
46.	50	, 43.42	101	100	1:39.04	08 93	"	"		-	194	2
47.	50	, 47.95	99	100	1:50.65	08 93					192	2
48.	50	, 47.16	79	100	2:09.28	09 79					158	2
49.	50	45.67	87	50	54.50	09 67	"	II		-	154	2
50.	50	, 48.78	71	100	2:09.90	09 53					124	2
51.	50	, 1:11.30	44	50	1:08.72	09 33					77	2
52.	50	, 54.75	66	50		09	"	II		-	66	2
53.	100	, 1:33.03	158			09	"	"		-	158	1
54.	50	, 41.34	117			08	"	II		-	117	1
55.	100	, 1:45.17	109			09	"	II		-	109	1
56.	50	, 54.15	52			08	"	II		-	52	1
	, 2	010	-	5 of 10 Ev	ents							
1.	50	, 40.08	129	50	47.00	11 105	100	1:48.88	98	-	332	3
2.	50	, 42.94	105	50	47.02	10 105	100	1:49.75	96		306	3
	50	, 42.77	106	100	1:47.43	10 102	50	31 48.09	98		306	3
4.	50	, 44.46	94	100	1:53.60	10 86	50	50.81	83		263	3
5.	50	42.76	106	100	1:53.95	10 86	50	31 54.16	69		261	3
6.	50	, 54.63	98	100	1:55.37	10 82	50	52.81	74		254	3
7.	50	44.63	93	100	1:42.48	10 84	50	56.60	60	-	237	3
8.	50	, 46.36	83	100	2:01.03	11 71	50	55.22	65	-	219	3

9.	50	, 47.02	79	100	1:59.86	11 73	" 50	1:02.27	66	-	218	3
10.	50	, 55.07	65	50	50.50	11 64	100	2:06.21	63	-	192	3
11.	100	, 1:49.64	96	50	49.11	10 92	" 50	"	-	-	188	3
	50	, 54.07	69	50	50.58	10 64	100	31 2:12.13	55		188	3
13.	50	53.32	, 72	50	1:09.56	10 47	100	2:22.94	43		162	3
14.	50	, 47.37	103	50	53.00	10 55	100		-		158	3
15.	50	, 1:01.54	69	50	56.16	10 46	100	31 2:25.66	41		156	3
16.	50	, 57.27	58	50	54.47	10 51	100	2:07.22	44	-	153	3
17.	50	, 1:05.76	56	100	2:22.14	11 44	" 50	" 1:05.85	29	-	129	3
18.	50	, 1:06.78	54	50	53.75	10 53	100	"	-	-	107	3
19.	50	, 49.74	67	50		10 -	100	31	-		67	3
20.	50	, 43.92	98	50	52.09	10 77	"	"		-	175	2
21.	50	, 45.11	90	50	53.55	11 71	"	"		-	161	2
22.	50	, 49.19	69	50	57.98	10 56	"	"		-	125	2
23.	50	, 51.83	59	50	57.63	11 57	"	"		-	116	2
24.	50	, 53.91	53	50	1:00.35	11 49	"	"		-	102	2
25.	50	1:00.93	48	50	1:05.36	10 29	"	"		-	77	2
26.	50	, 44.88	91			10	II	II		-	91	1
27.	50	, 54.41	51			10	"	п		-	51	1